



HANBLUD

DRY WALL PROFILES

A black and white portrait of Tomasz Pruszyński, a man with a beard and short hair, wearing a light-colored button-down shirt. He is looking directly at the camera with a neutral expression. The background is dark.

Tomasz Pruszyński

Production Director

„I have been taught respect for work and attention to details since I was a little child. I am pleased that now I can share the acquired skills with my co-workers.”.

In the beginning, I worked with my Father and Brothers only. Today, our "family" consists of more than 150 employees.

Since the very beginning, **HANBUD** has helped to build dreams about one's own home. Initially, as a distributor of building materials, and since 2006 – as a producer. Since then, we have successively been expanding our assortment and introducing new production lines for the production of roofing tiles, standing seam panels and trapezoidal sheet, we have become the leading manufacturer of steel products in Poland.




Currently, our offer includes industrial and residential fences, construction profiles and drywall profiles. The products of our company are also metal rails (Standard, Emka, Estetic, Sigma, Astra and Vigo) being an alternative to traditional wooden rails as well as modern roller-shutter fences. Due to growing experience, we are able to offer innovations, such as our products from the Revolution line.



Thanks to the employee engagement and the trust that our clients put in us, we also realize our business objectives and personal goals. We are most happy about the fact that the company is expanding and providing work for more and more people. A reflection of our efforts is the victory in the category of **Promotion of the Year “Hundred Golden Enterprises”** and receiving the **Forbes Diamond**.



Hanbud – durability for years!



”

The automated machine park ensures the quality of products that will satisfy even the most demanding customers.




Profile CD 60

• Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm
0,60 mm

• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: 60 mm
Height: 27 mm

- Standard packaging:
Master pack quantity: **216 pcs**
Inner pack quantity: **12 pcs**




Profile UD 28/48

• Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm
0,60 mm

• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: 28,2 mm
Height: 27/47 mm

- Standard packaging:
Master pack quantity: **216 pcs**
Inner pack quantity: **24 pcs**




Profile UD 30 Eco

• Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm
0,60 mm

• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: 28,2 mm
Height: 22 mm

- Standard packaging:
Master pack quantity: **216 pcs**
Inner pack quantity: **24 pcs**




Profile UD 30

• Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm
0,60 mm

• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: 28,2 mm
Height: 27 mm

- Standard packaging:
Master pack quantity: **216 pcs**
Inner pack quantity: **24 pcs**





”


Our own fleet of delivery trucks as well as reliable logistic partners guarantee a delivery on term.



Profile CW 50

- Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm / 0,60 mm
- Standard lengths: 2,6 m 3,0 m 4,0 m
- Width: 49 mm
Height: 50/47,5 mm


- Standard packaging:
Master pack quantity: **192 pcs**
Inner pack quantity: **8 pcs**



Profile CW 75

- Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm / 0,60 mm
- Standard lengths: 2,6 m 3,0 m 4,0 m
- Width: 74 mm
Height: 50/47,5 mm


- Standard packaging:
Master pack quantity: **128 pcs**
Inner pack quantity: **8 pcs**



Profile CW 100

- Thickness: $\frac{\downarrow}{\uparrow}$ 0,50 mm / 0,60 mm
- Standard lengths: 2,6 m 3,0 m 4,0 m
- Width: 99 mm
Height: 50/47,5 mm

- Standard packaging:
Master pack quantity: **96 pcs**
Inner pack quantity: **6 pcs**






”

The use of raw materials from reputable European steelworks guarantees the highest quality of the final product and its long-term durability.




Profile UW 50

• Thickness:  0,50 mm
0,60 mm


• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: **51 mm**
Height: **40 mm**

- Standard packaging:
Master pack quantity: **192 pcs**
Inner pack quantity: **8 pcs**




Profile UW 75

• Thickness:  0,50 mm
0,60 mm


• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: **76 mm**
Height: **40 mm**

- Standard packaging:
Master pack quantity: **128 pcs**
Inner pack quantity: **8 pcs**




Profile UW 100

• Thickness:  0,50 mm
0,60 mm

• Standard lengths:
2,6 m 3,0 m 4,0 m

• Width: **101 mm**
Height: **40 mm**

- Standard packaging:
Master pack quantity: **96 pcs**
Inner pack quantity: **6 pcs**





Bogdan

Production Manager

„The close cooperation of the production and logistics departments enables us to provide our clients with the highest quality delivery on term.”.



HANBUD PROFILES:



allow you to make safe and durable ceiling and wall constructions,



are made of the highest quality raw materials according to PN-EN 14195,



are produced on modern automated production lines,



the production is supervised by qualified engineers and machine operators.



Logistics is our priority. Our own fleet of trucks and delivery trucks as well as reliable logistic partners guarantee a delivery on term.




Qualified employees and modern automated machine park ensure the quality of products that will satisfy even the most demanding customers.




Hanbud dry wall profiles are products tested on many construction sites throughout Europe




Hanbud is a stable business partner focusing on long-term cooperation based on benefits for both parties.



**Modular metal
roofing tiles**



Metal roofing tiles



**Roof panels
with a ridge**



**Box profile
metal sheet**



Metal rails



**Plasterboard
profiles**



**Structural
profiles**

COMPANY SEAT:

ul. Brańska 153, 17-100 Bielsk Podlaski
tel.: **+48 85 730 94 08**, mobile: **+48 607 35 77 35**
e-mail: **biuro@hanbud-dachy.pl**

BIAŁYSTOK BRANCH:

Kuriany 114, 15-588 Kuriany
mobile: **+48 605 431 444**
e-mail: **bialystok@hanbud-dachy.pl**

 **www.hanbud-dachy.pl**

